

ULTRA LOW TEMPERATURE FREEZER UPRIGHT (-10°C to -35°C)

FEATURES:

- Hermetically sealed cooling system with very durable compressors.
- Cold air loss is minimized by insulated inner doors.
- Efficient evaporator with maximum contact with walls for fast cooling down.
- 130mm polyurethane foamed insulation.
- Heavy-duty casters with built-in adjustable stands.
- Cabinet with round corners for easy cleaning.
- 3 Built-in access ports.
- Very user-friendly control panel on eye level.
- Easy to clean condenser filter.
- Pressure equalization port allows easy access to cabinet after door closing.
- Quiet running fans and compressors create a very low noise level (+/- 50 dBA).
- Heated door seals (hot gas) prevents ice build up.
- Light adjustable HDPE shelf with air circulation hole (No wrenched in -120°).



SPECIFICATIONS

Model	I-DF3510	I-DF3514	I-DF3517	I-DF3520	I-DF3524
Int. Dim. (mm) HxWxD	960 x 600 x 480	1280 x 600 x 480	1280 x 600 x 630	1280 x 750 x 630	1280 x 750 x 760
Ext. Dim. (mm) HxWxD	1740 x 920 x 900	2060 x 920 x 900	2060 x 920 x 1050	2060 x 1070 x 1050	2060 x 1070 x 1180
Refrigeration	1/2HP			1HP	
Temp. Min	-35°C				
Temp. Max	-10°C				
Capacity (L)	276	369	484	605	730
Power (W)	3600				
Weight (kg)	265	305	350	380	420

Serving the Scientific, Medical and Research industries since 1945

LABEC

LABEC

Laboratory Equipment Pty Ltd

Laboratory Equipment Pty Ltd

email: sales@labec.com.au

Ph: 02 9560 2811 • Fax: 02 9560 6131

www.labec.com.au